




The Journal of Architectural Coatings

A Product of Technology Publishing
JPCL/PaintSquare | D+D | Paint BidTracker



[Interact](#) | [Blogs](#) | [Resources](#) | [Buying Guides](#) | [Webinars](#) | [White Papers](#) | [Classifieds](#)

[Color + Design](#) • [Building Envelope](#) • [Decorative Finishes](#) • [Maintenance + Renovation](#) • [Coatings Technology](#) • [Good Technical Practice](#)

Welcome back, caroline
[Your Profile](#) | [Logout](#)

[Follow us on Twitter](#) | [Join us on Facebook](#)
[About D+D](#) | [Subscribe](#) | [Advertise](#) | [Search](#)

Get our print journal ...
Free to qualified subscribers

Paint and Coatings Industry News

[Main News Page](#)

Sansin Corp. Offers 'Ready-to-Use' Foundation™ Water-Borne Wood Primer

Wednesday, September 21, 2011

More items for [Color + Design](#)

The Sansin Corp. (Ontario, Canada) introduced a "ready-to-use" formulation of Foundation™, a water-borne primer for interior and exterior wood surfaces.



The product is low-VOC, applies clear, and provides UV protection deep within the wood, the company says. Also, the product is reported to allow light finishes to enhance the natural beauty and distinctiveness of wood.

The primer can be used on various wood species including fir, pine, spruce, and cedar.

The company says the product:

- ensures dimensional stability;
- reduce checks and erratic movement;
- prevents discoloration, including joinery;
- improves topcoat performance;
- repels water;
- enhances the natural moisture resistance of wood surfaces by supporting breathability;



Rock Tred - the Highest Quality Flooring Solutions

Since 1939, Rock Tred has been defining excellence in the formulation & production of epoxies, urethanes, elastomerics & polyaspartics. Call 1-888-Rock-Tred.



Lythic Solutions "Raises the Bar"

Nano Silica Technology for concrete floors. Lythic Densifiers & SPD Protector increase durability to prevent stains and acid etching. Easy application with no VOC's.



Heat Reflective Coatings

Coming soon Kelly-Moore Enviro Coat Reflective exterior 100% acrylic paint formulated to deflect a portion of the near-infrared (IR) radiant heat from the sun.



Reserve SSPC 2012 Exhibit Space Now!

Reserve your exhibit space at

- can be used to treat wood with a moisture content up to 25%;
- cleans up with soap and water.

More information: www.sansin.com.



Tagged categories: [Primers](#); [Sansin Corp.](#); [Wood](#); [Wood coatings](#)

Join the Conversation:



(Your comment will be displayed as posted by caroline long; *D+D* reserves the right to remove or edit comments. Comments not consistent with our [comment posting policy](#) will be removed.)

SSPC 2012 in Tampa, FL.
January 30-February 2, 2012.
Contact at 877.281.7772, ext 2211 or jurik@sspc.org.



Faux Effects International, Inc.
Offers over 300 waterborne, decorative finishing mediums; Faux Effects® provides a healthy alternative to other hazardous, toxic materials in the marketplace.



Lumiflon for Architectural Applications
Lumiflon continues to provide architects with superior paint systems worldwide. With its superior weatherability, LUMIFLON® ensures a longer life on building exteriors leading to a decrease in life cycle costs.



Private Label Coatings. Toll Manufacturing.
www.thecomexgroup.com

- Domestic & intl. facilities
- ISO Certified
- Dedicated lab & field technical support
- Low product development fees

privatelabel@thecomexgroup.com

The Technology Publishing Network



EXPLORE D+D: [Interact](#) | [Blogs](#) | [Resources](#) | [Buying Guides](#) | [Webinars](#) | [White Papers](#) | [Classifieds](#)

GET D+D: [Subscribe](#) | [Advertising Media Kit](#)

KNOW D+D: [About D+D](#) | [Privacy policy](#) | [Terms & conditions](#) | [Site Map](#) | [Search](#) | [Contact Us](#)

© Copyright 2010-2011, [Technology Publishing, Co.](#), All rights reserved

2100 Wharton Street, Suite 310, Pittsburgh PA 15203-1951; Tel 1-412-431-8300; Fax 1-412-431-5428; E-mail webmaster@paintsquare.com